PAIN

Pain 77 (1998) 335–336

Contents to Volume 77 (1998)

Number 1 – July 1998

REVIEW ARTICLE

The clinical course and prognostic factors of non-specific neck pain: a systematic review
J.A.J. Borghouts, B.W. Koes, L.M. Bouter (The Netherlands) 1

RESEARCH PAPERS

An experimental model for chronic compression of dorsal root ganglion produced by intervertebral foramen stenosis in the rat
S.-J. Hu, J.-L. Xing (PR China) 15

The relationship between gender and family history of pain with current pain experience and awareness of pain in others
M. Koutantji, S.A. Pearce, D.A. Oakley (UK) 25

Pain coping strategies predict perceived control over pain
J.A. Haythornthwaite, L.A. Menefee, L.J. Heinberg, M.R. Clark (USA) 33

The physical and psychological experience of pain: the effects of labeling and cold pressor temperature on three pain measures in college women
M.S. Hirsch, R.M. Liebert (USA) 41

Morphine, the NMDA receptor antagonist MK801 and the tachykinin NK1 receptor antagonist RP67580 attenuate the development of inflammation-induced progressive tactile hypersensitivity
Q.-P. Ma, A.J. Allchorne, C.J. Woolf (UK, USA) 49

Intrathecal administration of the mGluR compound, (*S*)-4CPG, attenuates hyperalgesia and allodynia associated with sciatic nerve constriction injury in rats
K. Fisher, M.E. Fundytus, C.M. Cahill, T.J. Coderre (Canada) 59

Contributing factors to the persistence of musculoskeletal pain in preadolescents: a prospective 1-year follow-up study
M. Mikkelsson, J.J. Salminen, A. Sourander, H. Kautiainen (Finland) 67

Treatment of myofascial trigger-points with ultrasound combined with massage and exercise – a randomised controlled trial
A.N. Gam, S. Warming, L.H. Larsen, B. Jensen, O. Høydalsmo, I. Allon, B. Andersen, N.E. Gøtzsche, M. Petersen, B. Mathiesen (Denmark) 73

Risk factors for back pain incidence in industry: a prospective study
M.N.M. van Poppel, B.W. Koes, W. Devillé, T. Smid, L.M. Bouter (The Netherlands) 81

Milacemide, a glycine pro-drug, inhibits strychnine-allodynia without affecting normal nociception in the rat
H. Khandwala, C.W. Loomis (Canada) 87

Treatment with either high or low frequency TENS reduces the secondary hyperalgesia observed after injection of kaolin and carrageenan into the knee joint
K.A. Sluka, K. Bailey, J. Bogush, R. Olson, A. Ricketts (USA) 97

LETTERS TO THE EDITOR

Comment on Manfredi et al., *PAIN* 70 (1997) 199–101
Y. River, M. Belgrade (USA) 103

Reply to River and Belgrade
P.L. Manfredi (USA) 104

Erratum 105

Number 2 – August 1998

REVIEW ARTICLE

Transgenic studies of pain
J.S. Mogil, J.E. Grisel (USA) 107

RESEARCH PAPERS

Transient inhibition of responses to thermal stimuli of spinal sensory tract neurons in monkeys during sensitization by intradermal capsaicin
P.M. Dougherty, W.D. Willis, F.A. Lenz (USA) 129

Memories of chronic pain and perceptions of relief
J.S. Feine, G.J. Lavigne, T.T. Thuan Dao, C. Morin, J.P. Lund (Canada) 137
Sex differences in response to cutaneous anesthesia: a double blind randomized study
M.E. Robinson, J.L. Riley III, F.F. Brown, H. Gremillion (USA) 143
Menstrual cycle modulation of tender points
E.G. Hapidou, G.B. Rollman (Canada) 151
Sex differences in opioid and *N*-methyl-D-aspartate mediated non-opioid biting fly exposure induced analgesia in deer mice
M. Kavaliers, D.D. Colwell, E. Choleris (Canada) 163
Wallerian degeneration and hyperalgesia after peripheral nerve injury are glutathione-dependent
R. Wagner, H.M. Heckman, R.R. Myers (USA) 173
Spinal bicuculline produces hypersensitivity of dorsal horn neurons: effects of excitatory amino acid antagonists
L.S. Sorkin, S. Puig, D.L. Jones (USA) 181
Sensory changes in the territory of the lingual and inferior alveolar nerves following lower third molar extraction
E. Eliav, R.H. Gracely (USA) 191
Predictive factors for 1-year outcome of low-back and neck pain in patients treated in primary care: comparison between the treatment strategies chiropractic and physiotherapy
E.I. Skargren, B. E. Öberg (Sweden) 201
Phantom sensations following acute pain
S. Knecht, P. Sörös, S. Gürtler, T. Imai, E.-B. Ringelstein, H. Henningsen (Germany) 209
Chronic gynaecological pain: an exploration of medical attitudes
S.A. Selfe, M. Van Vugt, R.W. Stones (UK) 215

Number 3 – September 1998

EDITORIAL

Towards a mechanism-based classification of pain?
C.J. Woolf, G.J. Bennett, M. Doherty, R. Dubner, B. Kidd, M. Koltzenburg, R. Lipton, J.D. Loeser, R. Payne, E. Torebjork (USA) 227

REVIEW ARTICLE

Prevalence of chronic benign pain disorder among adults: a review of the literature
P.F.M. Verhaak, J.J. Kerssens, J. Dekker, M. Sorbi, M. Bensing (The Netherlands) 231

RESEARCH PAPERS

Tactile, thermal and pain sensibility in burned patients with and without chronic pain and paresthesia problems
A. Malenfant, R. Forget, R. Amsel, J. Papillon, J.-Y. Frigon, M. Choinière (Canada) 241
Catastrophizing, pain, and disability in patients with soft-tissue injuries
M.J.L. Sullivan, W. Stanish, H. Waite, M. Sullivan, D.A. Tripp (Canada) 253
Articular nociception induced by endothelin-1, carrageenan and LPS in naive and previously inflamed knee-joints in the rat: inhibition by endothelin receptor antagonists
J.D. De-Melo, C.R. Tonussi, P. D'Orléans-Juste, G.A. Rae (Brazil, Canada) 261
Pain and mortality risk among elderly persons in Sweden
I. Kåreholt, G. Brattberg (Sweden) 271
Sociodemographic predictors of treatment outcome in chronic non-malignant pain patients. Do patients receiving or applying for Disability Pension benefit from multidisciplinary pain treatment?
N. Becker, J. Højsted, P. Sjøgren, J. Eriksen (Denmark) 279
A novel spinal action of mexiletine in spinal somatosensory transmission of nerve injured rats
V. Chapman, J. Ng, A.H. Dickenson (UK) 289
Effect of ondansetron, a 5-HT3 receptor antagonist, on the dynamic association between bulimic behaviors and pain thresholds
P.L. Faris, S. Won Kim, W.H. Meller, R.L. Goodale, R.D. Hofbauer, S.A. Oakman, L.A. Howard, E.R. Stevens, E.D. Eckert, B.K. Hartman (USA) 297
Development of mustard oil-induced hyperalgesia in rats
M.C. Jiang, G.F. Gebhart (USA) 305
Nerve growth factor induced hyperalgesia in the rat hind paw is dependent on circulating neutrophils
G. Bennett, S. al-Rashed, J.R.S. Hoult, S.D. Brain (UK) 315
Intrathecally applied morphine inhibits nociceptive C fiber input to the primary somatosensory cortex (SI) of the rat
J. Kalliomäki, X.-L. Luo, Y.-B. Yu, J. Schouenborg (Sweden) 323

Erratum 331

Author Index to Volume 77 333

Contents of Volume 77 335